

02. Feb. 2004

BERLIN

FRIST 04.02.04

PCT

From the INTERNATIONAL BUREAU

Rec'd PCT/PTO 14 JAN 2005

To:

10/521396

EISENFÜHR, SPEISER & PARTNER
Anna-Louisa-Karsch-Str. 2
10178 Berlin
ALLEMAGNENOTICE INFORMING THE APPLICANT OF THE
COMMUNICATION OF THE INTERNATIONAL
APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

Date of mailing (day/month/year) 22 January 2004 (22.01.2004)		
Applicant's or agent's file reference IB 1231-02WO		IMPORTANT NOTICE
International application No. PCT/EP2003/007750	International filing date (day/month/year) 16 July 2003 (16.07.2003)	Priority date (day/month/year) 16 July 2002 (16.07.2002)
Applicant IHP GMBH-INNOVATIONS FOR HIGH PERFORMANCE MICROELECTRONICS / INSTITUT FÜR INNOVATIVE MIKROELEKTRONIK et al		

1. Notice is hereby given that the International Bureau has **communicated**, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this notice:

EP, JP, US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

None

The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this notice is a copy of the international application as published by the International Bureau on 22 January 2004 (22.01.2004) under No. WO 2004/008706

4. **TIME LIMITS for filing a demand for international preliminary examination and for entry into the national phase**

The applicable time limit for entering the national phase will, **subject to what is said in the following paragraph**, be **30 MONTHS** from the priority date, not only in respect of any elected Office if a demand for international preliminary examination is filed before the expiration of **19 months** from the priority date, but also in respect of any designated Office, in the absence of filing of such demand, where Article 22(1) as modified with effect from 1 April 2002 applies in respect of that designated Office. For further details, see *PCT Gazette* No. 44/2001 of 1 November 2001, pages 19926, 19932 and 19934, as well as the *PCT Newsletter*, October and November 2001 and February 2002 issues.

In practice, **time limits other than the 30-month time limit** will continue to apply, for various periods of time, in respect of certain designated or elected Offices. For **regular updates on the applicable time limits** (20, 21, 30 or 31 months, or other time limit), Office by Office, refer to the *PCT Gazette*, the *PCT Newsletter* and the *PCT Applicant's Guide*, Volume II, National Chapters, all available from WIPO's Internet site, at <http://www.wipo.int/pct/en/index.html>.

For filing a **demand for international preliminary examination**, see the *PCT Applicant's Guide*, Volume I/A, Chapter IX. Only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination (at present, all PCT Contracting States are bound by Chapter II).

It is the applicant's **sole responsibility** to monitor all these time limits.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Gijsbertus Beijer - Carlos Roy
Facsimile No. (41-22) 740.14.35	Telephone No. (41-22) 338.91.11

IN THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

REGARDING THE INTERNATIONAL
APPLICATION OF:

DOCKET OR REFERENCE NUMBER: 536-009.014

A. TROYA et al.

ENTITLED: Method and Device for Frame Detection and Synchronizer

Mail Stop PCT
To The United States Designated/Elected Office (DO/EO/US)
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

NATIONAL STAGE EXPRESS MAIL CERTIFICATE

"Express Mail" label number: EV 562513437 US

Date of Deposit: January 14 2005

I hereby certify that the following attached papers or fee

Transmittal to the U.S. Designated/Elected Office (DO/EO/US)
Preliminary Amendment
Copy of Form PCT/IB/308
Check for \$ for payment of fees
Self addressed stamped return postcard

Are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Mail Stop PCT, Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Lissette Ramos

(Typed or printed name of person mailing paper or fee)



(Signature of person mailing paper or fee)

Each paper letter or communication relating to an international application during the international stage for which a date of filing is to be obtained as of the date of mailing must have its own certificate and the "Express Mail" label number as a part thereof or attached thereto. When, as here, the certification is presented on a separate sheet, that sheet must (1) be signed and (2) fully identify and be securely attached to the paper or fee it accompanies. Identification should include the serial number and filing date of the application as well as the type of paper being filed, e.g. complete application, specification and drawings, responses to rejection or refusal, notice of appeal, etc. If the serial number of the application is not known, the identification should include at least the name of the inventors (s) and the title of the invention.

The label number need not be placed on each page. It should, however, be placed on the first page of each separate document, such as, a new application, amendment, assignment, and transmittal letter or a fee, along with the certificate of mailing by "Express Mail". Although the label number may be on checks, such a practice is not required. In order not to deface formal drawings it is suggested that the label number be placed on the back of each formal drawing or the drawings be accompanied by a set of informal drawings on which the label number is place.

Customer No.: 4955